



Intel® Select Solutions for uCPE

Universal CPE (uCPE) systems bring the powerful performance of Intel® Xeon® D processor-based systems to the edge of communication service provider networks for agile service provisioning. Intel Select Solutions for uCPE provide a foundation for the development of uCPE products with a solution reference design and verification of performance.



Introduction

Enterprise adoption of cloud services and digital transformation is opening a new opportunity for communications service providers (CommSPs) to meet the cloud and networking needs that arise from this transition with network functions virtualization (NFV)-based customer premises equipment (CPE).

Virtual CPE (vCPE) systems provide a single platform dedicated to virtualized network functions including WAN routing, virtual private network, firewall, intrusion prevention system, session border control, carrier-grade network address translation, Wi-Fi, and software-defined WAN (SD-WAN). CommSPs are using vCPE solutions to replace multiple fixed-function appliances, reducing potential capital and operating costs while providing increased service provisioning flexibility.

The business value of vCPE is driving significant market growth. Analyst firm IDC forecasts that the worldwide vCPE infrastructure market will grow to exceed \$3 billion for hardware and software by 2021.¹

CommSPs have defined the universal CPE (uCPE) to be platforms that can bring virtualized and non-virtualized (bare metal) services to small branch offices and small-to-medium-sized businesses. To support these platforms, Intel has developed the Intel® Select Solutions for uCPE reference design that combines Intel's expertise with NFV systems architecture requirements with the performance foundation of the Intel® Xeon® D processor.

The Intel Select Solutions for uCPE reference design provides a strong value proposition to telecommunications equipment manufacturers (TEMs) and original equipment manufacturers (OEMs), which includes:

- Product-ready reference design that results in faster time to market
- Intel solution verification that reduces network evaluation time needed by CommSPs
- Partnering with Intel for joint go-to-market solutions and strategies

uCPE Use Cases

Intel Select Solutions for uCPE come tested to allow easy integration with a variety of VNFs. SD-WAN is the highest profile service because it lets branch offices continue to more securely access corporate apps while also taking advantage of broadband links for cloud service access. SD-WAN VNFs are deployed on uCPE systems, making these services cost effective.

CommSPs can also utilize uCPEs for other traditional branch office and small-to-medium-sized business services. With Intel hardware-based servers at a wide range of price points, enterprises can standardize on networking and data security software services across all size facilities down to the smallest branch offices. Organizations with large branch office networks, such as retail stores or banks, can centralize the purchase of their key networking applications and work with their CommSP to deploy the applications across their corporate landscape for consistency and centralized updates and policies.

For small businesses, an Intel processor-based uCPE can provide the compute performance that lets CommSPs provision a single system that enables a wide range of networking and hosted services. CommSPs can also standardize on software used in hybrid cloud-CPE services because the software can run on Intel® architecture-based servers in both locations. In these hybrid cloud-CPE services, complex software functionality is hosted in the cloud and the uCPE is utilized for network connectivity and localized processing.

Intel Select Solutions for uCPE Reference Design

Intel has designed two product configurations as part of the Intel Select Solutions for uCPE reference design:

- Intel Select Solutions for uCPE base configuration: This uCPE design utilizes a four-core or greater Intel Xeon D processor and network and storage products from Intel (see Table 1) targeting value-based solutions with at least two virtual machines in a small-to-medium-sized business environment.
- Intel Select Solutions for uCPE plus configuration: This uCPE design utilizes a 14-core Intel Xeon D processor and specifies the network, storage, and integrated platform acceleration products (see Table 1) from Intel to maximize virtual machine density.

Table 1 shows the hardware required for each uCPE configuration.

INGREDIENT	INTEL® SELECT SOLUTIONS FOR UCPE BASE CONFIGURATION HARDWARE	INTEL® SELECT SOLUTIONS FOR UCPE PLUS CONFIGURATION HARDWARE
PROCESSOR	Intel® Xeon® D-2123IT processor, 4 core, 2.2 GHz, 60 W, or higher SKU	Intel Xeon D-2177NT processor, 14 core, 1.9 GHz, 105 W, or higher SKU
MEMORY	16 GB DDR4 2133 MHz, 4 * 4 GB (16 GB Total) Minimum all 4 memory channels populated (1 DPC) to achieve 16 GB (i.e., 4 * 4 GB RDIMM)	64 GB DDR4 2667 MHz, 4 * 16 GB (64 GB Total) Minimum all 4 memory channels populated (1 DPC) to achieve 64 GB (i.e., 4 * 16 GB RDIMM)
NICS	2 x 10 GbE integrated Ethernet ports	4 x 10 GbE integrated Ethernet ports
INTEL® QAT	Integrated Intel® QuickAssist Technology, ² or an Intel® QuickAssist Adapter 8970 PCIe* add-in card, ² or equivalent Intel® C627 Series Chipset QAT Enabled PCIe add-in card ²	Integrated Intel® QuickAssist Technology, or an Intel® QuickAssist Adapter 8970 PCIe* add-in card, or equivalent Intel® C62x Series Chipset QAT Enabled PCIe add-in card
STORAGE	Intel® SSD Data Center S3110 256 GB 2.5" internal solid state drive (SATA or M.2)	Intel® SSD Data Center S3110 512 GB 2.5" internal solid state drive (SATA or M.2)

Table 1. Example hardware configuration for Intel Select Solutions for uCPE base configuration and Intel Select Solutions for uCPE plus configuration.

What Are Intel Select Solutions?

Intel Select Solutions are verified hardware and software stacks that are optimized for specific software workloads across compute, storage, and network. The solutions are developed from Intel's deep experience with independent software vendor (ISV) and OEM/ODM industry partners, as well as extensive collaboration with the world's leading data center and service providers. To qualify a product as an Intel Select Solution, solution providers must:

1. Follow the software and hardware stack requirements outlined by Intel
2. Replicate or exceed Intel's reference benchmark performance threshold
3. Publish a detailed installation guide to facilitate customer deployment

Solution providers can develop their own optimizations to add further value to the solutions.

Verified Performance Through Benchmark Testing

All Intel Select Solutions are verified by Intel to meet a specified minimum level of workload-optimized performance capability. Verified Intel Select Solutions for uCPE meet or exceed design and testing standards for data throughput and specialized security, encryption and compression performance that are essential in edge networking use cases. There are three key testing standards that are specified for Intel Select Solutions for uCPE:

Intel® QuickAssist Technology: Intel® QAT establishes stringent performance standards for bulk crypto performance across a range of uCPE use cases including when applications are running simultaneously. This benchmark tests both compression and encryption algorithms measured with typical packet sizes.

OpenSSL Performance: In addition to the bulk crypto performance, Intel® Select Solutions for uCPE solutions must demonstrate a minimum OpenSSL throughput and sign operations performance requirements as measured by executing OpenSSL Speed Benchmark testing.

Packet Processing Performance: Intel® Select Solutions for uCPE require high data plane throughput, and achieving it requires implementing the open source Data Plane Development Kit (DPDK) to optimize performance. This performance is demonstrated using the DPDK L3 Forwarding sample application.

Table 2 shows the minimum performance standards for both the base and plus uCPE configurations.

MINIMUM PERFORMANCE STANDARDS		BASE CONFIGURATION ³	PLUS CONFIGURATION ⁴
Intel QAT Performance	Compress and verify ⁵	13 Gb/s	55 Gb/s
	Encryption ⁶	20 Gb/s	100 Gb/s
	RSA ⁷	20,000 sign/s	100,000 sign/s
OpenSSL Performance	AES128-CBC-HMAC-SHA1	20 Gb/s	100 Gb/s
	RSA 2048	20,000 signs/s	100,000 sign/s
Packet Processing Performance using DPDK L3fwd RFC2544 zero packet loss test		100% line rate with 128 B packet size utilizing 2 x 10 Gb/s NIC	100% line rate with 256 B packet size utilizing 4 x 10 Gb/s integrated NIC

Table 2. Minimum performance standards for Intel Select Solutions for uCPE. System builders, system integrators, and solution and service providers can further optimize the reference designs to achieve higher performance and capability.

Intel® Xeon® Processor D-2100 Product Family

The Intel Xeon processor D-2100 product family is based on the Intel Xeon Scalable processor architecture and is optimized for low power consumption and high-density solutions, integrating essential network, security, and acceleration capabilities into the platform. Intel Xeon D processor-based solutions enable CommSPs to bring intelligent services to the network edge by offering low total cost of ownership and power draw, and delivering space-efficient commercial off-the-shelf servers. Key features include:

- Enhanced memory: Up to 512 GB of DDR4 ECC
- Enhanced accelerators: Integrated Intel® QuickAssist Technology (Intel® QAT) for accelerated compression and encryption/decryption
- New extensions: Intel® Advanced Vector Extensions 512 (Intel® AVX-512), a specialized instruction set for outstanding compute performance
- Enhanced networking: Up to four integrated 10 GbE Intel Ethernet adapters

Software and Firmware Stack

All Intel Select Solutions feature a workload-optimized software stack tuned to take full advantage of an Intel hardware foundation. The software and firmware configurations below apply to both the Intel Select Solutions for uCPE base configuration and the Intel Select Solutions for uCPE plus configuration.

		INGREDIENT	SOFTWARE VERSION DETAILS
FIRMWARE		BIOS/MCU	February 2018 release date and later 0x2000043 or later
		Firmware for Intel® Ethernet Connection X722	V3.3
HOST	Development Kit	DPDK	18.02
	OS	Ubuntu*	Ubuntu 16.04.3 (kernel 4.4.0-116-generic)
	Hypervisor	KVM/QEMU*	2.5.0
	Libvirt	Libvirt*	1.3.1
	Drivers	Intel® QuickAssist Technology	1.7-L.1.0.5-25
		i40e	2.4.6
		ixgbe	5.3.6
GUEST	Development Kit	DPDK	18.02
	OS	Ubuntu	14.04 LTS
		Red Hat* Enterprise Linux*	RHEL 7.4 (kernel 3.10.0-693.11.6.el7.x86_64)
	Drivers	i40evf	3.5.6
		ixgbev	4.3.4

Table 3. An example software stack for the initial Intel Select Solutions for uCPE configurations. (With ongoing testing and optimization collaboration, version levels and components are subject to change over time.)

Ecosystem Enablement

In addition to the reference design, Intel Select Solutions for uCPE benefit from a significant ecosystem of providers of tested and optimized VNFs that run on top of these configurations. For added I/O flexibility, the program has a network of options including xDSL, PON, DOCSIS, T1/E1, voice, wireless, and more. Global original design manufacturers (ODMs) that are part of the ecosystem have experience and expertise in manufacturing these uCPE devices.

Conclusion

The uCPE market is expected to grow rapidly as CommSPs work with enterprises and small businesses to adopt these systems as part of their business strategies. The Intel Select Solutions for uCPE reference design provides the market with the platform, software, and ecosystem required to get to market quickly with a differentiated product. At the heart of the reference design is the Intel Xeon D processor, which offers the performance, acceleration features, security features, and built-in Ethernet connectivity needed for cost-effective uCPE systems.




Figure 1. Intel Select Solutions for uCPE ecosystem enabling model.

Learn More

Intel Select Solutions web page: <https://builders.intel.com/intelselectsolutions>

Intel Xeon D processor family: <http://www.intel.com/xeond>

Intel Select Solutions are supported by the Intel Builders Program: <https://builders.intel.com>



¹ IDC Dec. 8, 2017 press release about the Worldwide vCPE/uCPE Forecast, 2017-2021: NFV at the Network Edge report at <https://www.idc.com/getdoc.jsp?containerId=prUS43310117>

² Recommended for the configuration, but not required.

³ Testing conducted by Intel on June 18, 2018, with the following hardware and software configurations: 1 node, 1x Intel® Xeon® D-2146NT; Total Memory 16 GB, 4 slots/4 GB/2133 MHz DDR4 RDIMM; Turbo Enabled; 256 GB Intel® SSD SATA; 2x 10 GbE; ucode: 0x2000049; OS/Software: Ubuntu 16.04.3 (kernel 4.4.0-116-generic).

⁴ Testing conducted by Intel on June 18, 2018, with the following hardware and software configurations: 1 Node; 1x Intel® Xeon® D-2177NT; Total Memory 64 GB, 4 slots/16 GB/2667 MHz DDR4 RDIMM; Turbo Enabled; 512 GB Intel® SSD SATA; 4x 10 GbE; ucode: 0x2000049; OS/Software: Ubuntu 16.04.3 (kernel 4.4.0-116-generic).

⁵ Performance to be measured at 8 KB packet size.

⁶ Performance to be measured at 4 KB packet size.

⁷ Performance to be measured at 2 KB packet size.

Software and workloads used in performance tests may have been optimized for performance only on Intel microprocessors.

Performance tests, such as SYSmark and MobileMark, are measured using specific computer systems, components, software, operations and functions. Any change to any of those factors may cause the results to vary. You should consult other information and performance tests to assist you in fully evaluating your contemplated purchases, including the performance of that product when combined with other products. For more complete information visit www.intel.com/benchmarks.

Performance results are based on testing as of June 18, 2018, and may not reflect all publicly available security updates. See configuration disclosure for details. No product can be absolutely secure.

Intel technologies' features and benefits depend on system configuration and may require enabled hardware, software or service activation. Performance varies depending on system configuration. No computer system can be absolutely secure. Check with your system manufacturer or retailer or learn more at intel.com/selectsolutions.

Cost reduction scenarios described are intended as examples of how a given Intel-based product, in the specified circumstances and configurations, may affect future costs and provide cost savings. Circumstances will vary. Intel does not guarantee any costs or cost reduction.

Optimization Notice: Intel's compilers may or may not optimize to the same degree for non-Intel microprocessors for optimizations that are not unique to Intel microprocessors. These optimizations include SSE2, SSE3, and SSSE3 instruction sets and other optimizations. Intel does not guarantee the availability, functionality, or effectiveness of any optimization on microprocessors not manufactured by Intel. Microprocessor-dependent optimizations in this product are intended for use with Intel microprocessors. Certain optimizations not specific to Intel microarchitecture are reserved for Intel microprocessors. Please refer to the applicable product User and Reference Guides for more information regarding the specific instruction sets covered by this notice.

Notice Revision #20110804

© Intel Corporation. Intel, the Intel logo, and Xeon are trademarks of Intel Corporation or its subsidiaries in the U.S. and/or other countries.

*Ubuntu is a trademark of Canonical Ltd. Other names and brands may be claimed as the property of others.

1118/DO/H09/PDF

♻️ Please Recycle

337133-002US